

## University of Rajasthan, Jaipur NOTICE INVITING QUOTATIONS

NIB No. F-9/G.Ad./Store/2024/

Date:

Offline limited quotations are invited from reputed/authorized Dealers/Companies/Firms for purchase of RO (50 Lit.) for the use of V.C. Secretariat, University of Rajasthan, Jaipur upto date 07.10.2024 at 01:30 P.M. Details may be seen in the bidding document available at university website.

Dy. Registrar (G. Ad.)



# राजस्थान विश्वविद्यालय, जयपुर

### विवरण

	144(-)
फर्म / कम्पनी का नाम	
•	
पता	
TXII	
फोन / मो. नं.	
	,
जी.एस.टी. पंजीयन प्रमाण पत्र	
संलग्न करना अनिवार्य है।	
पैन कार्ड की छायाप्रति	
वर्ग वर्गां वर्गां क्षाचात्रात	
	·
	हस्ताक्षर
	~ ~
	निविदादाता
	नाम
	T

#### **COMMERCIAL BID**

Tender Inviting Authority: Registrar, University of Rajasthan, Jaipur					
NIB. No. F-9/G.Ad/Store/2024/ Dated					
Bidd	er Name :				
PRICE SCHEDULE					
S. No.	Item Description	Qty	Price of each item (excluding GST)	Price of each item (including GST)	
1.	R.O.	01	(choining GOT)	(meldung OS1)	
	(Technical Specification : Enclosed)				

#### Terms & Conditions:-

- सभी शर्तें राजस्थान लोक उपापन में पारदर्शिता नियम, 2013 के अनुसार होगी।
- जी. एस. टी. पंजीयन प्रमाण पत्र संलग्न करना अनिवार्य है।
- निविदा जमा कराने की अंतिम तिथि 07.10.2024 समय 01:30 बजे अपरान्ह।
- निविदा खोलने की तिथि 07.10.2024 समय 02:30 बजे अपराह्न।
- The rates are F.O.R. the respective of the UOR, Jaipur.

Dated:	Signature of Firm/Company with Seal
	Name:
	Full Address:
	Mobile No. :

### **Technical Specifications**

- 1. Fully automatic, auto-shut off function which automatically switch off the machine when tank is full.
- 2. Branded UV lamp which ensures immediate death for organisms such as bacteria, virus and wipes out their ability to service.
- 3. Stainless steel body with two one hundred GPD high performance. Motor, for double purification.
- 4. The machine runs upto 3000 TDS level of input water for both bore well and groundwater purification.
- 5. Capacity 50 Liter per hour.
- 6. Maximum duty cycle per day 1200-1250 lit.
- 7. Voltage -24 V DC input and electric power supply on single phase.
- 8. Membrane 150GDP.
- 9. Pre- filter 11" granulated coconut shell carbon.
- 10. Post filter carbon filter.
- 11. Auto- flush in system auto cleaning.
- 12. Alkaline filter with copper.
- 13. Flow 100 Lit per hour.
- 14. Water rejection less than 50%
- 15. Atleast 1 year warranty on booster pump and SMPS adapter.
- 16. Single/Double tap with high grade stainless steel body.